		1. Generator's US EPA ID No.	Manifest Document No.		nformation in the shaded areas
Ī	UNIFORM HAZARDOUS WASTE MANIFEST	CAD08651000	5017779	of /	s not required by Federal law.
1	3. Generator's Name and Mailing Address P99935 Aircraft Torrance Normand 4. Generator's Phone (3) A 3805 5. Transporter 1 Company Name	Attai	R. Tue A State A State A State A State C B. State C	ransporter's ID	92301779
	Laidlaw Environment of California Inc. 7. Transporter 2 Company Name	L I Services	0 8 3 1 2 1 D. Transp	orter's Phone	0) 518-4700
	9. Designated Facility Name and Site Addres		G. State	orter's Phone	n30993
l	Norris Environm 5215 S. Boyle Av Los Angeles, CA	enue - CARDINIAT	030993	* N/A 11/2 's Phone 213) 582	8-7111
	11. US DOT Description (including Proper Ship	A Charles and an an	12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol I. Waste Number
GE	* RQ, waste sod 8, UN 1824, PG	ium hydroxide solu II (D002)		311590	P EPA/Other D002
N E R	b.				State ,
T O R	c.	, 10°			State EPA/Other
	d.	andrews her determined as the second 2004.			State EPA/Other
1	J. Additional Descriptions for Materials Listed Norris J. D. #5010620013 Solution From Jank 259 Water From Jank 259 Jodium Hydroxide 0-20% 0-57, Sodium Sulfide 0-4 15. Special Handling Instructions and Addition	LIVELLECTO MUMINUM	Chem mill	Codes for Waster	s Usted Above b. d.
	24-Hour Emergency DOT ERG *60	Response Telepho	one Number (8	00)424	-9300 (Chemtre)
	16. GENERATOR'S CERTIFICATION: I herel packed, marked, and labeled, and are in	by declare that the contents of the consignment all respects in proper condition for transport b	are fully and accurately described	above by proper sh federal, state and in	ipping name and are classified, iternational laws.
	economically practicable and that I have	tify that I have a program in place to reduc selected the practicable method of treatment, ent; OR, if I am a small quantity generator, ile to me and that I can afford.	, storage, or disposal currently avo	ilable to me which i	minimizes the present and tuture e generation and select the best
Ų Ţ	Printed/Typed Name Robert 17. Transporter 1 Acknowledgement of Receip	Signature U.e. Jr. Roll of Malerials	et S. Tue	ell, Q.	Month Day Year 018 0 8 9 4
RANSPORTE	Printed/Typed Name TOYALE	Signatur	Damie	Y	6080899
O R T E R	18. Transporter 2 Acknowledgement of Receipt Printed/Typed Name	Signature			Month Day Year
FACI	19. Discrepancy Indication Space				
T.	20. Facility Owner or Operator Certification of Printed/Typed Name	f receipt of hazardous materials covered by t	his manifest except as noted in Item	1 19.	Month Day Year

DO NOT WRITE BELOW THIS LINE.

V 81

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

CENTER 1-800-424-8802: WITHIN CALFORNIA, CALL 1-800-852-7550

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPON

See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

printed type. Form designed for use on ellie (12-pile	1. Generator's US EPA ID No.	Manifest Document No.		nformation in the shaded areas s not required by Federal law.
UNIFORM HAZARDOUS WASTE MANIFEST	CAD08651000	5017779	of / "	nor required by rederal law.
3. Generator's Name and Mailing Address 1. September 1.		R. Tuell A State M de: C6-59 B State G	enerator's ID A H D 3 6 cansporter's ID	92301779 0 05 6 9 8
Laidlaw Environmer	1 / Services CADOOO	0 8 3 1 2 1	orter's Phone	0) 518-4700
		F. Transpo	orter's Phone	
9. Designated Facility Name and Site Address NOTT IS Environment 5215 S. Boyle Av Los Angeles	ental Services Enuc 90058 C A D 0 9 7 0	9 3 9 9 3 12. Containers	s Phone 213)582	3- <i>7//</i>
11. US DOT Description (including Proper Ship		No. Type	Quantity	Wt/Vol 1, Waste Number State
	um nydroxide solu II (D002)	tion, OOITI	311590	P P DOO2
				EPA/Other
c.	·			State EPA/Others
d.				State EPA/Other
I. Additional Descriptions for Materials Listed Motris ID #E010620013 Solytion From Tank 259 Water from Tank 259 Water from Tank 259 Water from Tank 259 Is Special Handling Instructions and Addition 24-Hour Emergency DOT ERG *60	AK, Waste aluminam and and symples of the solid symples of the solid symples of the solid symples of the symple	chem mill wes rinse and Jank 218 on Aluminate Tophyler (6-110)	oo)424	d.
16. GENERATOR'S CERTIFICATION: I herel		are fully and accurately described	above by proper st	ipping name and are classified,
packed, marked, and labeled, and are in If I am a large quantity generator, I cer economically practicable and that I have threat to human health and the environm	all respects in proper condition for transport be tify that I have a program in place to reduce selected the practicable method of treatment, ent; OR, if I am a small quantity generator, I	e the volume and toxicity of wast	e generated to the	degree I have determined to be minimizes the present and future
waste management method that is available Printed/Typed Name	uell Tr. Roll	A S. Tru	ell g	Month Day Year 0/8 0/8 9/4
17. Transporter 1 Acknowledgement of Receip	Signature	Jamis	, L	0181018194
18. Transporter 2 Acknowledgement of Receipt Printed/Typed Name	Signature Signature			Month Day Year
19. Discrepancy Indication Space		* :	er i de la companya d	
	of receipt of hazardous materials covered by t Signature	nis manifest except as noted in Iter	n 19.	Month Day Year
Printed/Typed Name	o.g.,			

DO NOT WRITE BELOW THIS LINE.

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

LAND DISPOSAL RESTRICTION NOTIFICATION

/ G	enerator Name: Douglas Aircraft CompanyEPA ID	Number: <u>CAD 086510005</u>
M	anifest Number: 01779/9230/779 Date of S	Shipment: <u>08 - 08 - 94</u>
	ndicate Waste Line Item (11):	
T'i	his notification is hereby submitted to <u>NORRIS ENVIRONME</u> scribed in 40 CFR Part 268 which prohibit the land disposal of meet specified standards or treated using specified treatment te	chnologies.
I i fe	nave marked the appropriate box(es) below, which indicates how my w deral regulations.	
_	KCKA Land Disposal Notification	California List Wastes Notification
0	Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.	Waste Requires Treatment I am the initial generator of an untreated waste identified
	Trentment Standard-Cyanide Destruction Stabilization	above which must be treated in the appropriate treatment of and and set forth in 40 CFR 268 Subpart D. or where no
۵	Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:	treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.
	Treatment Standard-Metals Recovery Stabilization	도시: [1] - [4] [1] [1]
		Waste Treated to Performance Standards
	(check those that apply)	
<i>j</i>	Armenic und/or compounds (as As) Barium and/or compounds (as Bn) Cadmium und/or compounds (as Cd) Chromium (V1 and/or compounds as Cr VI) Lead and/or compounds (as Pb) Lead and/or compounds (as Hg) Mercury and/or compounds (as Hg) Selenium and/or compounds (as Se) Selenium and/or compounds (as Ag) Silver and/or compounds (as Ag) 5.0 mg/L;	The waste identified above has been treated in compliance with the applicable performance standars specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to
	Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L. HOCs (see attached listing of HOC constituents)	support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpartish and all applicable prohibitions set forth in 40 CFR 265.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penulties for submitting a false certification, including the possibility of a fine and imprisonment.
	Treatment Standard-Carbon Absorption Steam Stripping	
	Liquid hazardous wastes containing polychlorinated biphenyls	Waste Subject to Variance
	(PCBs) at concentrations greater than or equal to 50 ppm. Treatment Standard-Incincration, high efficiency boiler, other thermal treatment	The waste identified above is subject to a case-by-case
×	Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.	extension under 40 CFR 268.5, a no-migration period under 40 CFR 268.6, a nationwide variance under Subpart C, or is out or debris generated from a response action taken under
	Treatment Stundard-Neutralization Stabilization	CERCLA or corrective action under RCRA.
ם	The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.	
	Treatment Stundard-Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which were reduced below treatment standards	
Th	c most recent copy of waste analysis or a description of the knowledge use all information submitted in this and all associated documents is comp	oon which this notification is based is attached. I hereby certify lete and accurate to the best of my knowledge and information.
Pr	Robert G. Tuell, Ir. Seni Robert G. Tuell, J. (310)	or Plant Engineer 08-08-97 533-7926 Telephone Number
SI)	unature	

WORK ORDER



221 E. "D" ST. • P.O. Box 1175 WILMINGTON, CA 90748-1175 (310) 518-4700 • (800) 955-5359

CUSTOMER/ACCT. NO 240120

WORK ORDER NO.

13123

BILLING ADDRESS

SERVICE ADDRESS

DUUGLAS AR

190 TH X NORMANDIE

TORRANCE

March 1997			
Onder Date	CUSTOMER P.O. #	ORDERED BY TELEPHONE#	CONTACT PERSON
8-1.94 8.8.94	Rel# 27064-H6100	FRED	Cunt
00//			CONTACT PHONE #
REP. DIV.#	DEPARTMENT	CUSTOMER'S EPA# CUSTOMER'S BD OF EQUAL#	CONTACT PRODUCT

1 PETRO TO NAUL LOAD TO DISPOSAL

TAKE 3 3" NOSES TO JUESTE
Arrive DAC: ADC-0800
Left DAC LDC-1400

DRIVER COMPLETE: SERVICES PERFORMED PO TO ACCOMPLETE: OR TO ACCOMPLETE:	ank Nu 259 of to Nomis Di	en e	
START 0766 STOP TIME 9301779 Manifest Number 9301779 nments	START475839 END MILES Date Completed	 HOUS TRAILE NUMBER	ER/6040 (

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature Robert D. Tuellip. 08-08-94

PRICING INSTRUCTIONS - DRUMS	e e				,
Clerical Hrs.		Per Hr.	#11		
Project Manager Hrs.	Ø	Per Hr.			
Halaa Baraa Technician <u>8 ta 70 ta)</u> Hrs.	3 27 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Per Hr.			
Second Technician Hrs.	*	Per Hr.	en e	Alles interesses and a comment of the comment of th	
			· . •	Marian Caraca Ca	ON TODAYSHADIERA
Fourth Technician Hrs.				A the Addition of the Control of the	
			~		
	<u> </u>		94		
Truck # Hrs.			, w		
the state of the s		Per Hr.	~		
Truck # Hrs."		Per Hr.	~	· · · · · · · · · · · · · · · · · · ·	
				•	
		705 155 185 185 185 185 185 185 185 185 18	4.00 %	TT see away of the pro-	314 C 482
Sundays, Holidays, and After Hours @		%	638a 6004		
TRANSPORTATION & DISPOSAL FEES TO TSD I	FACILITY	and the second of the second o	rine i sublimina i se i se		The second secon
5 Gal. Cans Liquid @	Each	ł	vana.		
5 Gal. Cans Solid @	Each	Marine Cons	- A		
5 Gal. Cans Lab Packed @ _	Each	1			
55 Gal. Drums Liquid @		ł.	***		
55 Gal. Drums Solid @	······································	1			
55 Gal. Drums Lab Packed	Each				
Empty 5 Gal. Cans @	Each	77 3 3 M		S 300 3	
Empty 55 Gal. Cans @ A Q	2012 A Each	ı			
County Tex			***		
MATERIALS USED					
5 Gal. Cans @	Each				
55 Gal. Drums @			***		
Recovery Drums @			nation.		
Bags Vermiculite @					
Bags (Other Describe) @		@	NOW NOW		
Hazardous Waste Labels @	parament or and an anti-mental high-stade projective for a project of a consider recommend or a constitution of	Each	***		L/SAACYON BÊRVIPKÎ
Drum Liners @		Each		1992 3 1973	
Safety Equipment Number of Sets					and the Marie Control of the Control
arman was giri mang are ngan sintun nin a matan na maran na maran na maran na maran na maran na maran na maran Angan mang manang mang mang mang mang man	ik personal di keta mangani di ketabahan ketabahan di ketabahan di ketabahan di ketabahan di ketabahan di ketab		none de la company de la co		
	دستان الموقودة أن الطالبين في المناسك المناسك المناسك الموادي <mark>المتأثر المتاسب المعاسب ا</mark>	in market en	resident in the second		
		Andrew Control of the			
PRICING INSTRUCTIONS - PUMPING NO PERSONAL			STARTA		STARTE OF DE
Compensation Hrs @		Per Hr.	mountaine Sat extra 2, 8 5 2 5		Section of the sectio
		SEFFICE SEFFE	enner		WURWY ZORINSKI
Allaed Dariza (p. 1			Marine Company of the	t tier en verste men in som med fingen men skip met som som som fingen skip en en skip som en skippe	a para para di para para para para para para para par
	State of the state				
ner of bediffie but and party entry the prevented to rec Dump Fee	ien oststopsetno:	o noupsanga yas o i	mem ea pa t	ab io nio grissis robogo - elevo bito secioente se	
TOGONISON DOG TO A	1-10		OTAL		
- De leader 16 Brown	Notes that I work	and the same and the same			managar and a second se

7					2301779
	64,440	32,850	MILLSSICTION	SNO	NUMBER: 01779/92301779
WEIGHT TICKET	GROSS	LO ST TARE		GALLONS	DOCUMENT NUM
ME10		5 16040 ST 34	n Itydrexide Chem Norris	# x x +	
-	VENDOR: LAID (A.)	TRUCK #:: 6045 DATE: 08-08-9	CONTENTS: Sight Dum 1 DISPOSAL FACILITY: Nov	i. i	STATE MANIFEST
	VENC	TRUC	CON 200	OR DRI	S